POPULATION EST	IMATES	LONG-TERM CARE		LOCAL HEALTH DEPA	RTMENTS
Total 2004 Population	·	Community Options and MA V as HSRS reports costs for	services	Staffing - FTE Numb	10,000
Population per square County ranking in sta	mile 10 te (1-72) 70	Clients COP 4 MA Waiver *	Costs \$61.219	Total staff 7 Administrative 1 Public health nurses 1 Other prof. staff 3 Technical/Paraprof. 1 Support staff 1	7.6 .0 1.0 .0 1.0
0-14 900	ale Total 890 1,790	MA Waiver * CIP1A 6	\$249,123	Other prof. staff 3 Technical/Paraprof. 1	.3 3.2 .0 1.0
25-29 210	0.40	CIPIB 30 CIP2 15 COP-W 51	\$185,534 \$395,869		
35-39 290	240 450 230 480 310 600 370 720	MA Walver * CIP1A	\$27,539 \$0 \$1,640,142	Funding Total \$376,7 Local Taxes \$182,8	97 \$36.95 38 \$17.93
45-54 690 55-64 650	700 1,380 660 1,310	\$98,675 of the above v	aiver costs	LICENSED ESTABLIS	
65-74 550 75-84 350 85+ 180	560 1,120 270 620 80 260	were páid as local match, using COP funds. This am not included in above COF	nount is	Type Capaci Bed & Breakfast Camps 2 Hotels, Motels 3 Tourist Rooming	ty Facilities 23 5 91 10
Total 5,070 5,		 * Waiver costs reported h	nere	Hotels, Motels 3 Tourist Rooming	35 33 91 33
18-44 1.520 1.	150 2,270 650 3.170	include federal funding. Clients	Costs	Pools Restaurants Vending	0 85 0
45-64 1,340 1, 65+ 1,080 Total 5,070 5,	360 2,690 910 2,000 060 10,130	Eligible and Waiting 16	n/a	-	
Poverty Estimates for 2	000	(Family Care not provided	in county)	WIC PARTICIPAN	
All ages 1,313	(C.I.+/-) 87 % (7%)	 Note: Eligible and waiting will be phased into the		Pregnant/Postpartum Infants	179
All ages 1,313 13.1 Ages 0-17 475 18.7	39 % (8%)	Waivers as available.		Children, age 1-4 Total	266 602
EMPLOYMEN Average wage for jobs co	vered	Home Health Agencies	•	CANCER INCIDENCE Primary Site	
by unemployment compensa (place of work)	Annual	Patients Patients per 10,000 pop.	İ	Breast Cervical Colorectal	4 11
Labor Force Estimates	Average	Nursing Homes Licensed beds	2 143	Lung and Bronchus Prostate Other sites	13 5 27
Number employed Number_unemployed	4,762 311	Licensed beds Occupancy rate Residents on Dec.31 Residents age 65 or older per 1,000 population	137	Total	60
Unemployment rate	6.1%	per 1,000 population	65	Note: Totals shown are for invasive cancers onl	

			NATA	LIIY				
TOTAL LIVE BIRTHS		108	Birth Order	Births	Percent	Marital Status		ı
TOTAL LIVE BIRTHS		100	First	40	37	of Mother	Births	Percent
Crude Live Birth Rate	2	10.7	Second	32	30	Married	56	52
General Fertility Rat		61.9		26		Not married		48
delier at Fertility hat	LE	01.9	Third Fourth or higher	20	24		52 0	0
I done beloebe with some			Fourth or littlier.	9	0	Unknown	U	u
Live births with repo	ortea	4 0 00	Unknown	1	1			
congenital anomalies		1 0.9%				Education		
		_			_	of_Mother	Births	Percent
Delivery Type	Births	Percent	1st Prenatal Visit			Elementary or les	ss 0	0
Vaginal after			1st trimester	90	83	Some high school	13	12
previous cesarean	5	5	2nd trimester	15	14	High school	49	45
Forceps	0	0	3rd trimester	2	2	Some college	29	27
vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean	81	75	1st trimester 2nd trimester 3rd trimester No visits Unknown	1	1	Some high school High school Some college College graduate Unknown	17	16 İ
Primary cesarean	16	15	Unknown	Ò	Ò	Unknown		0
Reneat cesarean	6	6	o	Ū	ŭ		Ū	•
Tiepeat Sesai can	U	J	Prenatal Visits	Rinthe	Percent	Smoking Status		
Birthweight	Rintho	Percent	No visits	1	1	of Mother	Births	Percent
DII (IIWEIGII)	DTI (112	0.0	1-4		i	Smoker	34	31
<1,500 gm	Ū	0.0		1				
1,500-2,499 gm 2,500+ gm	/	6.5	5-9	22	20	Nonsmoker	73	68
2,500+ gm	0 7 100	92.6	10-12	50	46	Unknown	1	1
Unknown	1	0	13+	33	31			
			Unknown	1	1			
			Low Birthweight		Trimeste	er of First Prenatal	Vicit	
I			LOW DI CHWOIGHT			ci di ilide ilenatal	. VISIC	
İ			(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other/	Unknown
Race/Ethnicity	Births F	Percent	(under 2,500 gm) Births Percent	1st Tr Births	imester Percent	2nd Trimester Births Percent	Other/ Births	Unknown Percent
Race/Ethnicity White			(under 2,500 gm) Births Percent 6 7.2	1st Tr Births 69	imester Percent 83	2nd Trimester Births Percent 13 16	Other/ Births 1	Unknown Percent 1
1 1411 * 1		77 0	(under 2,500 gm) Births Percent 6 7.2	_	imester Percent 83	2nd Trimester Births Percent 13 16	Other/ Births 1	Unknown Percent 1
1 1411 * 1	83 0	77 0	(under 2,500 gm) Births Percent 6 7.2	_	imester Percent 83	2nd Trimester Births Percent 13 16	Other/ Births 1	.
White Black/Afr.American American Indian	83 0	77 0	(under 2,500 gm) Births Percent 6 7.2	1st Tr Births 69 19	imester Percent 83	2nd Trimester Births Percent 13 16 2 9	Other/ Births 1 2	Unknown Percent 1 • 9
White Black/Afr.American American Indian Hispanic/Latino	83 0	77 0	(under 2,500 gm) Births Percent 6 7.2	19	imester Percent 83	2nd Trimester Births Percent 13 16 2 9	Other/ Births 1	.
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong	83 0 23 2 0	77 0 21 2 0	(under 2,500 gm) Births Percent 6 7.2	19	imester Percent 83	2nd Trimester Births Percent 13 16 2 9	Other/ Births 1	.
White Black/Afr.American American Indian Hispanic/Latino	83 0	77 0	(under 2,500 gm) Births Percent 6 7.2	19	imester Percent 83	2nd Trimester Births Percent 13 16 2 9	Other/ Births 1	.
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong	83 0 23 2 0	77 0 21 2 0	(under 2,500 gm) Births Percent 6 7.2	19 *	imester Percent 83	2nd Trimester Births Percent 13 16 2 9 *	Other/Births 1 . 2 * .	9
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong	83 0 23 2 0 0	77 0 21 2 0 0	(under 2,500 gm) Births Percent 6 7.2	19 *	imester Percent 83	2nd Trimester Births Percent 13 16 2 9 *	Other/Births 1 . 2 * .	9
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	83 0 23 2 0 0	77 0 21 2 0 0	(under 2,500 gm) Births Percent 6 7.2	19 *	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester	Other/Births 1 2 *	9
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother	83 0 23 2 0 0 F6 Births	77 0 21 2 0 0 ertility Rate	(under 2,500 gm) Births Percent 6 7.2	19 *	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 *	Other/Births 1 2 *	9
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	83 0 23 2 0 0 Fe Births	77 0 21 2 0 0 •	(under 2,500 gm) Births Percent 6 7.2	19 *	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent	Other/Births 1 2 *	9
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	83 0 23 2 0 0 Fe Births 0 2	77 0 21 2 0 0 • ertility Rate 9	(under 2,500 gm) Births Percent 6 7.2	19 *	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent	Other/Births 1 2 *	9
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	83 0 23 2 0 0 Fe Births 0 2 12	77 0 21 2 0 0 	(under 2,500 gm) Births Percent 6 7.2	19 * 1st Tr Births .* 9	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent 3 25	Other/Births 1 . 2 *	9 Unknown Percent
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	83 0 23 2 0 0 Fe Births 0 2 12 36	77 0 21 2 0 0 •rtility Rate 9 83 131	(under 2,500 gm) Births Percent 6 7.2	19 * 1st Tr Births 9 27	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent 3 25 7 19	Other/Births 1 2 *	9 Unknown Percent
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	83 0 23 2 0 0 Fe Births 0 2 12 36 31	77 0 21 2 0 0 	(under 2,500 gm) Births Percent 6 7.2 1 4.3 * Low Birthweight (under 2,500 gm) Births Percent 1 2.8 2 6.5	19 * 	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent 3 25 7 19 3 10	Other/Births 1 . 2 *	9 Unknown Percent
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	83 0 23 2 0 0 Fe Births 0 2 12 36 31 18	77 0 21 2 0 0 0 	(under 2,500 gm) Births Percent 6 7.2 1 4.3 * Low Birthweight (under 2,500 gm) Births Percent 1 2.8 2 6.5 2 11.1	19 * 	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent 3 25 7 19 3 10 1 6	Other/Births 1 . 2 *	9 Unknown Percent
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	83 0 23 2 0 0 Fe Births 0 2 12 36 31	77 0 21 2 0 0 	(under 2,500 gm) Births Percent 6 7.2 1 4.3 * Low Birthweight (under 2,500 gm) Births Percent 1 2.8 2 6.5	19 * 	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent 3 25 7 19 3 10	Other/Births 1 . 2 *	9 Unknown Percent
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	83 0 23 2 0 0 Fe Births 0 2 12 36 31 18	77 0 21 2 0 0 0 	(under 2,500 gm) Births Percent 6 7.2 1 4.3 * Low Birthweight (under 2,500 gm) Births Percent 1 2.8 2 6.5 2 11.1	19 * 	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent 3 25 7 19 3 10 1 6	Other/Births 1 . 2 *	9 Unknown Percent
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	83 0 23 2 0 0 Fe Births 0 2 12 36 31 18 8	77 0 21 2 0 0 0 	(under 2,500 gm) Births Percent 6 7.2 1 4.3 * Low Birthweight (under 2,500 gm) Births Percent 1 2.8 2 6.5 2 11.1	19 * 1st Tr Births 9 27 27 17 7	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent 3 25 7 19 3 10 1 6	Other/Births 1 . 2 *	9 Unknown Percent
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	83 0 23 2 0 0 0 Fe Births 0 2 12 36 31 18 8	77 0 21 2 0 0 0 	(under 2,500 gm) Births Percent 6 7.2 1 4.3 * Low Birthweight (under 2,500 gm) Births Percent 1 2.8 2 6.5 2 11.1	19 * 1st Tr Births 9 27 27 17 7	imester Percent 83 . 83	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent 3 25 7 19 3 10 1 6	Other/Births 1 . 2 *	9 Unknown Percent
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	83 0 23 2 0 0 0 Fe Births 0 2 12 36 31 18 8	77 0 21 2 0 0 0 	(under 2,500 gm) Births Percent 6 7.2 1 4.3 * Low Birthweight (under 2,500 gm) Births Percent 1 2.8 2 6.5 2 11.1 2 25.0	19 * 1st Tr Births 9 27 27 17 7 *	imester Percent 83 . 83 . Trimester Percent . 75 75 87 94 88	2nd Trimester Births Percent 13 16 2 9 * er of First Prenatal 2nd Trimester Births Percent 3 25 7 19 3 10 1 6	Other/Births 1 2 * Visit Other/Births 2 1	Unknown Percent 6 3

REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	except in postneor fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	Infant, ve births. ns plus	
Disease Number Campylobacter Enteritis <5 Giardiasis <5 Hepatitis Type A 0	TOTAL DEATHS Crude Death Ra	te	101 997	Selected Underlying Cause Heart Disease (total) Ischemic heart diseas	26	Rate 257
Hepatitis Type B** 0 Hepatitis NANB/C <5	Age 1-4	Deaths 1	Rate	Cancer (total) Trachea/Bronchus/Lung	29 1 8	286 •
Legionnaire's 0 Lyme <5	5-14 15-19			Colorectal Female Breast	6 1	.*
Measles 0 Meningitis, Aseptic 0	20-34 35-54	2 9		Cerebrovascular Disease	4	
Meningitis, Bacterial 0 Mumps 0 Pertussis <5	55-64 65-74 75-84	11 18 28	4,553	Pneumonia & Influenza Accidents Motor vehicle	6	
Salmonellosis <5 Shigellosis 0	85+	32	12,214	Diabetes Infect./Parasitic Dis	3	:
Tuberculosis 0	Infant _		_	Suicide 	1	•
2004 provisional data.Includes all positive HBsAg	Mortality Total Infant	Deaths	Rate	* Based on female popu		
test results.	Neonatal Postneonatal Unknown		•	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAL		
Sexually Transmitted Disease Chlamydia Trachomatis 27	Race of Mother	•	•	Alcohol Tobacco Use	1 18	
Genital Herpes 8 Gonorrhea <5	White Black			Other Drugs	1	
Syphilis 0	Hispanic Laotian/Hmong Other/Unknown			MOTOR VEHICL	E CRASHES	
IMMUNIZATIONS	Birthweight	•	•	Note: These data are bof crash, not o		
Children in Grades K-12 by Compliance Level	1,500-2,499 gm 2,500+ gm	:	•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons F Injured	
Compliant 1,811 Non-compliant 11 Percent Compliant 99.4	Unknown	•	•	Total Crashes Alcohol-Related	77 17	2 1
rencent compilant 99.4	Perinatal Mortality Total Perinatal	Deaths 2	Rate	With Citation: For OWI For Speeding	21 0	0
	Neonatal Fetal	. 2		Motorcyclist Bicyclist	0	0
		_	-	Pedestrian	0	Ö

						ITALIZATIONS					
		Per	Average		Charge	1		Per	Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Р́ор	(Days)	Charge	Capita	AGE GROUP	Number	Р́ор	(Days)	Charge	Capita
Todayay Dalahad	. 411					Alaskal Dalaka	-I				
Injury-Related		40.0	- 4	404 005	4000	Alcohol-Relate				A= 000	400
Total	110	10.9	5.1	\$21,385	\$232	Total	39	3.8	3.5	\$5,630	\$22
<18	17	_'.	_•_		A	18-44	29	9.1	2.8	\$4,741	\$43
18-44	23	7.3	5.0	\$20,021	\$145	45-64	5	•			•
45-64	23	8.6	4.3	\$22,305	\$191	Pneumonia and				_	
65+	47	23.5	5.6	\$21,995	\$518	Total	54	5.3	4.6	\$12,812	\$68
Injury: Hip	Fracture					<18	8				
Total	16				•	45-64	6	•		•	
65+	13					65+	36	18.0	4.8	\$12,296	\$222
Injury: Pois	onings					Cerebrovascula	r Disease			•	
Ťotál	1 0					l Total	35	3.5	3.8	\$15,678	\$54
18-44	2					45-64	8			. ,	
	_	_	_	_	-	65+	27	13.5	3.1	\$12,884	\$174
Psychiatric						Chronic Obstru				·-,·-	¥
Total	62	6.1	10.4	\$10,587	\$65	Total	57	5.6	4.1	\$13,375	\$75
<18	23	10.1	8.1		\$83	<18	18		7	Ψ10,070	Ψίσ
18-44	17			ΨΟ, ΖΖΟ	•	18-44	0	:	•	•	•
45-64	18	•	•	•	•	45-64	14	•	•	•	•
45-04 65+	4	•	•	•	•	65+	25	12.5	4.9	\$16,297	\$204
05+	4	•	•	•	•	Drug-Related	25	12.5	4.9	\$10,297	Φ2 04
Cananany Haant	Diagona						0				
Coronary Heart		0.0	0.5	#40 000	040 E	Total	9	•	•	•	•
Total	99	9.8	2.5		\$195	18-44	4	•	•	•	•
45-64	41	15.3	2.2		\$316						
65+	54	27.0	2.8	\$19,812	\$536	Total Hospital	izations				
	_					Total	1,380			\$13,560	\$1,847
Malignant Neop						<18		106.2	3.5	\$7,502	\$797
Total	51	5.Ó	5.7	\$23,422	\$118	18-44	318	100.3	3.3	\$10,147	\$1,018
18-44	7					45-64	271	100.9	4.6	\$17,525	\$1,769
45-64	20	7.4	6.6	\$25,556	\$190	65+	549	274.9	4.4	\$16,249	\$4,467
65+	23	11.5	6.0	\$23,320	\$269	İ					
Neoplasms: F			ates for	femále po	pulation)	P	REVENTABLE	HOSPIT	ALIZATI	ONS*	
Total	3					Total	222	21.9	4.3	\$13,735	\$301
Neoplasms: C	olo-recta	1				<18	34	14.9	2.3	\$6,414	\$96
Total	7					18-44	15	4.7		\$16,055	\$76
65+	2	-	-	-	-	45-64	40	14.9		\$15,808	\$236
Neoplasms: L		•	•	•	•	65+	133	66.6		\$14,721	\$980
Total	3						100	55.5	1.5	Ψ··;/-	ΨΟΟΟ
Diabetes						<pre>* Hospitalization:</pre>	s for cond	itions	where t	imely and	effective
Total	17					ambulatory care care	an reduce	the lik	celihood	of hospi	talization
65+	9					1				•	